....

## **Basic Information**

- Place of Origin:
- Brand Name:
- CE ROHS FCC DLC ETL Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1 Gross Weight:15.8kg /pcs Carton Size: 1130\*620\*120mm 3-5 working days

HY8-800W-2A1-110

CHINA ANROFU

- T/T, Western Union, MoneyGram
- 1000 pcs per day




# **Product Specification**


• Dimmable:	0-10V Dimmer
• Lumen:	128000LM
• Voltage:	AC100-277V
• Power:	800W
Lumen Efficiency CRI:	160LM/W >80
• PPFD (Photosynthetic Photon Flux Density) (380- 780nm):	2240µmol/m²/s
<ul> <li>PPE (Photosynthetic Photon Efficacy):</li> </ul>	2.8µmol/J
Color Temperature:	Full Spectrum White I

- Color Temperature:
- Coverage:
- Mounting Height:
- LED Bar:
- Product Size:
- Highlight:
- Full Spectrum White Light +660nm 4x4ft
- ≥ 6" (15.2cm) Above Canopy
- 8 Strips
- 1115\*1080\*60mm
  - 800W Foldable LED Grow Light,




## More Images







#### Foldable plant growth lamp



#### DESCRIPTION

[Daisy-Chain One Channel Dimmable] This led grow light for indoor plant has a master dimmable controller to control the light intensity required for different plant growth stages. One channel dimmer is easy for client to dimmable the different wavelength of spectrum. The daisy-chain function allows you to connect 50-100 LED grow lamps and can be dimmed simultaneously.

[Max 4x4ft Coverage Area Plant Lamp Full Spectrum] 800Watts (Full spectrum white light +660nm) is perfect for vegetable to grow, 8 pcs LED strip light bars, it can provide evenly distributed light intensity. It can coverage for 4x4ft of high-yielding full-cycle growth.

[Approved UL CE Certificate Power Supply and Foldable Aluminium Bracket] The driver of our grow lights is 800 Watts with approved UL CE certificate and the high energy efficiency with 2.8 µmol/J, and also has the IP54 waterproof grade for indoor plants. Our full spectrum grow lights can up to 50,000 hours to work.


[Premium Quality for Heatsink and No Noise] Our grow lights are made of 8 led strip aluminium bars, which has efficient heat dissipation with cooling functions. it's powerful heat dissipation ability that no need to buy more cooling devices. This led plant light has no fan, there will be no noise.

[5 years Warranty and professional Guidance] We provide 5 years warranty .we are gladly to give you professional guidance and friendly customer service to helps your plants grow better. If you have any questions, please contact us anytime.

#### SPECIFICATION

Product Name	One Channel Dimmable Foldable 800W LED Grow Light
Model number	HY8-800-2A1-110
Power	800W +/-5%
Input voltage	100-277VAC 50/60Hz
LED Driver	UL CE Driver
Lumen	128000LM
Lumen efficiency CRI	160LM/W >80
PPFD (Photosynthetic Photon Flux Density) (380-780nm)	2240µmol/m²/s
PPE (Photosynthetic Photon Efficacy)	2.8µmol/J
Channel	1 channel
Dimmable	0-10V PWM Dimming
Full spectrum	Full spectrum white light +660nm
Coverage	4x4ft
Mounting height	≥ 6" (15.2cm) Above canopy
Supplementation time	Vegetative Stage: 12 - 14 hours on; Flowering Stage: 9-12 hours on; Fruiting Stage: 7-8 hours on.
Product size	1100*1100mm
PF	>0.95
THD	<15%
LED Bar	8 strips
Angle	120°
Housing color	Silver
Material	Aluminium
IP	IP54 (Indoor using)
Lifespan	>50,000H
Working Temperature	-37°C~+45°C
Operating Humidity	<95%
Storage Temperature	-40°C~+80°C
Input voltage(AC)	110V 220V 240V 277V
Input current at 100%	6.8A 3.8A 3.47A 3.1A

#### DIMENSION(mm ±2mm):



1		2	-	3		4		5		6		7		8		9		10	
	1238		1281		1297		1270		1220		1198		1233		1262		1235		118
1		12		13		14		15		16		17		18		19		20	
	1439		1424		1540		1504		1446		1460		1505		1505		1513		141
1		22		23		24		25		26		27		28		29		30	
	1557		1545		1663		1640		1597		1596		1642		1655		1625		151
1		32		33		34		35		36		37	2000	38		39		40	
	1554		1696		1732		1716		1675		1675		1721		1726		1684		152
1		42		43		44				16		47		48		49		50	
	1568		1701		1735		1727		1700		1704		1730		1738		1675		158
1		52		53		54		10				57		58		59		60	
	1504		1667		1726		1720		1685		1694		1734		1720		1645		150
1		62		63		64		65		66		67		68		69		70	
	1517		1639		1616		1676		1632		1649		1696		1701		1568		149
1		72		73		74		75		76		77		78		79		80	
	1535		1602		1610		1585		1556		1580		1583		1567		1431		138
1		82		83		84		85		86		87		88		89		90	
	1441		1490		1489		1438		1417		1430		1438		1480		1345		123
1		92		93		94		95		96		97		98		99		100	
	1290		1360		1346		1311		1200		1202		1269		1240		1206		112

# Height:8" Test in a **4x4ft**(120x120cm)Grow

# Height:8" Test in a 4x4ft(120x120cm)Grow

_				_				_	45	)C	m	_				_			
1	1056	2	1080	3	1090	4	1072	5	1061	6	1057	2	1027	8	1019	9	1018	10	977
	1050		1000		1030		10/2		1001		1057		1027		1013		1010		5//
1		12		13		14		15		16		17		18		19		20	
	1113		1165		1177		1173		1159		1161		1148		1123		1101		1043
1		22		23		24		25		26		27		28		29		30	
	1174		1226		1254		1250		1238		1232		1212		1186		1148		1076
n		32		33		34		35		36		37		38		39		40	
	1193		1257		1295		1305		1307		1296		1270		1242		1193		1111
ī		42		43		44				16		47		48		49		50	
	1193		1280		1319		1330		1330		1320		1299		1261		1210		1123
1		52		53		54		68				57		58		59		60	
	1178		1263		1315		1333		1334		1330		1306		1271		1200		1156
1		62		63		64		65		66		67		68		69		70	
	1180		1248		1300		1318		1318		1313		1280		1248		1163		1116
1		72		73		74		75		76		77		78		79		80	
	1137		1196		1246		1266		1268		1267		1246		1216		1177		1103
1		82		83		84		85		86		87		88		89		90	
	1094		1143		1190		1208		1214		1204		1188		1178		1102		1013
1		92		93		94		95		96		97		98		99		100	
	920		1040		1085		1105		1130		1140		1127		1122		986		993
	11238		11898		12271		12360		12359		12320		12103		11866		11298		1071

								n	СП	60	100							
84	10	877	3	904	0	928		933	0	928	4	954		965		960		930
87	20	908	19	945	18	971	17	993	16	1003	15 17	1007	14	1005	13	987	12	961
89	30	931	29	971	28	1007	27	1025	26	1037	25 I <b>O</b>	1040	24	1033	23	1013	22	981
	40		39		38		37		36		35		34		33		32	
88	50	950	49	994	48	1027	47	1050		1059	4	1064	4	1052	43	1022	42	972
90		955		994		1038		1063		1078	6	1076		1062		1024		963
90	60	950	59	995	58	1031	57	1059		1069	1	1071	5	1050	53	1113	52	943
94	70	937	69	982	68	1023	67	1052	66	1062	65 3	1063	64	1050	63	1006	62	943
	80		79		78		77		76		75	4	74		73		72	
89		911		970		999		1025		1035	0	1030		1010		983		928
82	90	879	89	922	88	963	87	988	86	995	5	995	84	973	83	942	82	903
	100	862	99	886	98	922	97	925	96	930	95	916	94	903	93	873	92	860

#### 454/400 40

ANROFU Shenzhen Hanyuan Intelligent Technology Co., Ltd.

+86 15017943686

wanghaiyan@anrofu.com

growled-light.com

3 Floor No.70, Zhulong Load, Fourth Industrial Shiyan Street Bao'An District Shenzhen City, Guangdong, China