


2 Channel Detachable LED Grow Light 1060W With 90 Degrees Adjustable Angle

Our Product Introduction

for more products please visit us on growled-light.com

Basic Information

- Place of Origin: CHINA
- Brand Name: ANROFU
- Certification: CE ROHS FCC ETL DLC
- Model Number: HY122-1060W-D9-110
- Minimum Order Quantity: 1
- Packaging Details: Carton Box :1160x295x280MM Gross Weight: 16kg/ctn
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 10000pcs per day






Product Specification

- Material: Aluminum Alloy
- Power: C/W:1000W +UV:60W
- Adjustable Angle: 90 Degrees
- Product Name: 1060W Detachable LED Grow Light
- Input Voltage: 100-277VAC 50/60Hz
- Lifespan: 50,000 Hours
- Full Spectrum: Full Spectrum White
Light+460nm+660nm+730nm+395nm
- Coverage: 4x4ft
- Highlight: **2 Channel Detachable LED Grow Light,**
Detachable LED Grow Light 1060W



More Images



Product Description

Detachable LED Grow Light The Perfect Tool For Boosting Your Plant S Growth Potential

Product Description:

This product is designed to work with an input voltage of AC100-277V, making it compatible with most electrical outlets. Additionally, it has a lifespan of 50,000 hours, which means it will last for years to come without needing to be replaced. This makes it a cost-effective and reliable choice for any indoor gardener.

The wavelengths of the Detachable LED Grow Light are carefully selected to provide optimal lighting for plant growth. The red wavelengths, which is 660nm, are ideal for the flowering and fruiting stages of plants. The blue wavelengths, which is 460nm, are ideal for the vegetative stage of plant growth. By providing the right wavelengths at the right time, this product can help you achieve impressive yields and healthy plants.

With a frequency of 50/60Hz, the Detachable LED Grow Light operates smoothly and without any flickering, which can cause eye strain or discomfort. This feature also ensures that your plants receive a consistent amount of light, which is important for their growth.

The Detachable LED Grow Light is easy to install and can be used with a variety of mounting options, such as clamps or hooks. Its detachable design allows you to easily move the light to different locations or adjust the angle as needed. This feature is particularly useful for those who have plants with different lighting needs, as it allows you to customize the lighting for each plant.

In conclusion, the Detachable LED Grow Light is an excellent choice for anyone who wants to grow plants indoors. Its adjustable angle, compatible input voltage, long lifespan, carefully selected wavelengths, and smooth frequency make it a reliable and effective lighting solution. Its detachable design and ease of installation make it a versatile option for any indoor gardener. Invest in the Detachable LED Grow Light today and see the difference it can make for your plants!

Features:

Product Name: Detachable LED Grow Light

Installation: Hanging Or Clipping

Adjustable Angle: 90 Degrees

Material: Aluminum Alloy

Frequency: 50/60Hz

Technical Parameters:

Product Name	1060W Detachable LED Grow Light
Model number	HY122-1060W-D9-110
Power	C/W:1000W +UV:60W
Input voltage	100-277VAC 50/60Hz
LED Driver	UL CE Driver
Lumen	160000LM
Lumen efficiency CRI	160LM/W >80
PPF (380-780nm)	2800μmol/S
EFF	2.8μmol/J
Color	Full spectrum white light+460nm+660nm+730nm+395nm
Detachable	yes
Channel	2 channel
Dimmable	0-10V dimmer
Coverage	4x4ft
Mounting height	≥ 6" (15.2cm) Above canopy
Supplementation time	Vegetative Stage: 12 - 14 hours on; Flowering Stage: 9-12 hours on; Fruiting Stage: 7-8 hours on.
PF	>0.95
THD	<15%
Product size	1100*1040mm
LED Bar	12
Angle	120°
Housing color	Silver
Material	Aluminum
IP	IP54 (Indoor using)
Lifespan	>50,000H
Working Temperature	-20°C~+45°C
Operating Humidity	<95%
Storage Temperature	-40°C~+80°C
Input voltage(AC)	100 V 208 V 240 V 277 V
Input current at 100%	8.8A 5.2A 4.5A 3.9A

Applications:

The Detachable LED Grow Light is designed to emit specific wavelengths of light that are required for plants to grow and thrive indoors. The red and blue LED colors provide the perfect spectrum of light for plants to go through photosynthesis and grow. The wavelength of the red light is 660nm and the wavelength of the blue light is 460nm. This combination of wavelengths is perfect for all stages of plant growth, from seedling to flowering.

The Detachable LED Grow Light is made of high-quality materials such as aluminum alloy , which make it durable and long-lasting. The detachable design allows for easy installation and maintenance. The input voltage of this product is AC100-277V, which makes it suitable for use in most countries. The frequency of the product is 50/60Hz.

There are many occasions and scenarios where the Detachable LED Grow Light can be used. For example, it can be used in a home garden, indoor farm, greenhouse, or indoor hydroponic system. It can also be used in commercial settings such as a plant factory or a research laboratory. The Detachable LED Grow Light is perfect for growing a wide variety of plants including vegetables, herbs, fruits, flowers.

In conclusion, ANROFU Detachable LED Grow Light is a high-quality, durable, and efficient product that is perfect for indoor gardening. With its specific red and blue wavelengths, it provides the perfect spectrum of light for plants to grow and thrive indoors. It can be used for personal or commercial purposes and is easily accessible with a minimum order quantity of 1. With a supply ability of 10000pcs per day, ANROFU is a reliable source of Detachable LED Grow Light.

Support and Services:


Our Detachable LED Grow Light comes with a 5-year warranty. If you experience any issues with your product, please reach out to our technical support team for assistance.

We also offer a range of services to help you get the most out of your grow light, including:

- Product setup and installation support
- Remote troubleshooting and technical assistance
- Product usage and optimization advice
- Replacement parts and accessories

Our knowledgeable and friendly support team is available to assist you Monday through Friday from 9am to 5pm EST.Saturday from 10am to 5pm EST.

Spectrum:



PPFD Distribution:



60cm

632	768	811	876	986	871	816	764	622
674	763	819	876	1067	872	814	768	642
714	814	918	976	1115	972	914	817	716
723	811	924	1092	1143	1096	921	816	725
805	914	963	1105	1153	1101	965	916	803
718	816	928	1099	1140	1094	925	843	752
716	811	917	963	1112	967	915	813	712
657	782	844	921	1062	925	843	787	652
621	768	816	873	987	876	812	762	624

ANROFU Shenzhen Hanyuan Intelligent Technology Co., Ltd.

+86 15017943686 wanghaiyan@anrofu.com growled-light.com

3 Floor No.70,Zhulong Load, Fourth Industrial Shiyen Street Bao'An District Shenzhen City,Guangdong,China